

Material Safety Data Sheets

FUJIFILM UK Ltd

Chemical system:

Paper processor model:

PP1258-1828-3008 – Version CP47L

Contents:

Product	Product No. (SDS)	Current update
FJ CP47L P1CR DEVELOPER REPLENISHER A 2L	954040	11.05.06
FJ CP47L P1CR DEVELOPER REPLENISHER B 500ML	954040	27.03.06
FJ CP47L P1CR DEVELOPER REPLENISHER C 600ML	954040	01.10.05
FJ CP-47LII P2R A 2L	995100	02.08.07
FJ CP-47LII P2R B 2L	995100	02.08.07
FJ CP-47L P1S DEVELOPER STARTER 1L	972943	11.05.06
FJ SUPERCONDITIONING TABLETS 100 PCE	961847	01.10.05

(28 pages, inclusive of cover)

Material Safety Data Sheets

Material Safety Data Sheets (MSDS) provide important health and safety information for working with our chemicals. The Fujifilm MSDS information is updated regularly, to check for updates please email us direct at:

environment@fuji.co.uk

The MSDS posted on this site are valid only for products sold by FUJIFILM UK Ltd into the UK market as product ingredients, size, name, and product code may vary depending on the geographic market. The information should be used to assist you in making an independent assessment of the best method to safeguard your workers and the environment, required in the UK under the Control of Substances Hazardous to Health Regulations (COSHH). The data is not an assessment of hazards but will describe the hazards, helping your assessment in the workplace.

Note: FUJIFILM UK Ltd CANNOT guarantee that the version of a particular MSDS posted on the website at any given time is the most current version of the MSDS for the product you are using. We encourage you to check regularly for updates or email us direct at:

environment@fuji.co.uk

MATERIAL SAFETY DATA SHEET

Catalogue N° : 954040 Printing date : 05/06/2007

1. IDENTIFICATION OF THE SUBSTANCE /PREPARATION AND OF THE COMPANY

1.1. Identification of the substance or preparation

FJ CP47L P1CR DEVELOPER REPLENISHER A 2L

1.2. Use of the substance/preparation

Photographic developer

1.3. Company/undertaking identification

FUJIFILM Europe NV	FUJIFILM UK Ltd.
EUROPARK-NOORD 21-22	St. Martins Way
B-9100 SINT NIKLAAS	St. Martins Business Centre
TEL : +32 (3)760 02 00	BEDFORD
FAX : +32 (3)776 91 22	MK42 OLF
	UNITED KINGDOM

PRODUCTSAFETY@FUJIHUNT.COM

1.4. Emergency telephone

+44 844 553 23 12

2. HAZARDS IDENTIFICATION

Most important hazards :

May cause sensitization by skin contact.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical characterisation: aqueous solution

Components contributing to hazard:

w/w%	CAS N°	EINECS N°	Components Symb. R-phrases
3-7	133986-51-3	407-370-6	HYDROXYLAMINE DERIVATIVE
.	.	.	- R:52/53
1-5	3656-31-3	.	STILBENE DERIVATIVE
.	.	.	Xi R:43

4. FIRST AID MEASURES

Eye contact

Irrigate with flowing water immediately and continuously for 15 minutes.

Consult medical personnel.

Skin contact

Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing

Ingestion

Consult a physician or transport to emergency facility immediately.

Inhalation

Remove to fresh air. Consult a physician.

Further information

Overexposure may lead to allergic skin reactions with sensitized people. In this case, seek medical advice.

5. FIRE-FIGHTING MEASURES

- 5.1. Suitable extinguishing media:
Water.
Water fog, carbon dioxide, foam, dry chemicals.
- 5.2. Extinguishing media to avoid:
None under normal conditions.
- 5.3. Further information:
Keep containers cool by spraying with water.

6. ACCIDENTAL RELEASE MEASURES

- Wear adequate personal protective equipment, see section 8 (exposure control / personal protection).
- Spills should be contained by and carried with suitable absorbent material and removed from disposal.
- Dispose of according to local and national regulations.
- Prevent from entering into soil, waterways and groundwater.

7. HANDLING AND STORAGE

- 7.1. Handling
Avoid eye and skin contact. Wash hands and exposed skin before eating, drinking or smoking and after work. Use only in a well ventilated area. Ingestion, exposure to skin and eyes and inhalation of any generated vapours should be avoided. Wear suitable protective clothing, gloves and eye/face protection. Do not consume or store food in the working area.
- 7.2. Storage
Keep containers tightly closed. Store in a well ventilated, cool, dry area. Storage temperature should be higher than +5°C

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

- 8.1. Exposure limit values (INGREDIENTS INFORMATION)
- | | |
|-------------------------------|-------|
| HYDROXYLAMINE DERIVATIVE | |
| TLV-TWA | = NAV |
| STILBENE DERIVATIVE | |
| MAK (Deutschland, TRGS 900) | = NAV |
| TLV-TWA | = NAV |
- 8.2. Exposure controls
Respiratory protection: no respiratory protection needed under normal conditions. Good ventilation should be sufficient.
Hand protection: use chemical resistant gloves. In case of prolonged immersion or frequently repeated contact use gloves made of the materials:
nitrile rubber (thickness \geq 0,38 mm, breakthrough time > 480 min)
neoprene (thickness \geq 0,65 mm, breakthrough time > 240 min).
butyl rubber (thickness \geq 0,36 mm, breakthrough time > 480 min)
For intermittent splash protection corresponding gloves with breakthrough time > 60 min can be used.
Avoid gloves made of : natural rubber.
Eye protection: use chemical safety goggles. Eye wash fountain should be located in immediate work area.
Other: appropriate protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Liquid
Colour	: Colourless
pH value (25°C)	: 10,5
Density (20°C) Kg/L	: 1,05
Solubility in water (25°C)	: Completely
Viscosity	: As water

10. STABILITY AND REACTIVITY

- 10.1. Conditions to avoid
The product is stable under normal storage conditions.
- 10.2. Materials to avoid
Keep away from oxidising material(s).
- 10.3. Hazardous decomposition products
Formation of CO₂, CO, NO_x is possible.

11. TOXICOLOGICAL INFORMATION

Acute toxicity (INGREDIENTS INFORMATION)
HYDROXYLAMINE DERIVATIVE
LD50 (Oral Rat) = NAV
STILBENE DERIVATIVE
LD50 (Oral Rat) = NAV
Skin contact
May cause sensitization by skin contact.

12. ECOLOGICAL INFORMATION

Ecotoxicity (INGREDIENTS INFORMATION)
HYDROXYLAMINE DERIVATIVE
LC50 (Fish, 96 hours) = NAV
STILBENE DERIVATIVE
LC50 (Fish, 96 hours) = NAV

13. DISPOSAL CONSIDERATIONS

Dispose of according to local and national regulations. Containers must be disposed of in accordance with local regulations.
EWC: 09 01 01 Water-based developer and activator solutions

14. TRANSPORT INFORMATION

UN N° : - PSN : NON HAZARDOUS LIQUID
ADR/RID
Class:NA labels :- Pack. Group:-
Code :NA TREMcard :NA Spec. Prov.:-
Pack. Inst.:- Lim. Quant.:-
IMDG
Class:NA Subs. Risk :NA Pack. Group:NA
EmS fire:NA EmS Storage:NA IBC. Inst. :-
Pack. Inst.:- Lim. Quant.:- Mar.Poll:N
ICAO/IATA
Class:NA Subs. Risk :NA Pack. Group:NA
Passenger and Cargo Aircraft. Pkg Inst:NA Max Net Qty/Pkg:NA
Cargo Aircraft Only . Pkg Inst:NA Max Net Qty/Pkg:NA
Ltd Qty . Pkg Inst:- Max Net Qty/Pkg:-

15. REGULATORY INFORMATION

EU Classification and User Label Information:
Contains : STILBENE DERIVATIVE
Symbol(s) : Xi
R(isk) phrase(s) :
R43 : May cause sensitization by skin contact.
S(afety) phrase(s) :
S24 : Avoid contact with skin.
S37 : Wear suitable gloves.
Other information :
WGK: 1
BAG T n° (CH): 611 500
Toxicity class (CH): Frei

16. OTHER INFORMATION

The use of the preparation is restricted to professional users |
The above mentioned data correspond to our present state of knowledge and
experience. The safety data sheet serves as description of the products in
regard to necessary safety measures. The indications have not the meaning
of guarantees on properties.

Date of issue: 11.05.2006
Supersedes edition of: 01.10.2005

NAV : Not available NA : Not applicable
RISK PHRASES MENTIONED IN PARAGRAPH 2:
R43 : May cause sensitization by skin contact.
R52/53 : Harmful to aquatic organisms, may cause long-term adverse effects in the
aquatic environment.



According to 1907/2006/EC

MATERIAL SAFETY DATA SHEET

Catalogue N° : 954040 Printing date : 16/08/2008

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY

1.1. Identification of the substance or preparation

FJ CP47L P1CR DEVELOPER REPLENISHER B 500ML

1.2. Use of the substance/preparation

Photographic developer

1.3. Company/undertaking identification

FUJIFILM Europe NV

EUROPARK-NOORD 21-22

B-9100 SINT NIKLAAS

TEL : +32 3 760 02 00

FAX : +32 3 776 91 22

FUJIFILM UK Ltd.

St. Martins Way

St. Martins Business Centre

BEDFORD

MK42 OLF

UNITED KINGDOM

PRODUCTSAFETY@FUJIFILM.EU

1.4. Emergency telephone

+44 844 553 23 12

2. HAZARDS IDENTIFICATION

Most important hazards :

Harmful if swallowed.

May cause sensitization by skin contact.

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical characterisation: aqueous solution

Components contributing to hazard:

w/w%	CAS N°	EINECS N°	Components	
			Symb.	R-phrases
20-40	25646-71-3	247-161-5	P-PHENYLENEDIAMINE DERIVATIVE	Xn N R:22-43-50/53

4. FIRST AID MEASURES

Eye contact

Irrigate with flowing water immediately and continuously for 15 minutes.

Consult medical personnel.

Skin contact

Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing

Ingestion

Consult a physician or transport to emergency facility immediately.

Inhalation

Remove to fresh air. Consult a physician.

Further information

Overexposure may lead to allergic skin reactions with sensitized people. In this case, seek medical advice.

5. FIRE-FIGHTING MEASURES

5.1. Suitable extinguishing media:

Water.

Water fog, carbon dioxide, foam, dry chemicals.

5.2. Extinguishing media to avoid:

None under normal conditions.

5.3. Further information:

Keep containers cool by spraying with water.

6. ACCIDENTAL RELEASE MEASURES

- Wear adequate personal protective equipment, see section 8 (exposure control / personal protection).
- Spills should be contained by and carried with suitable absorbent material and removed from disposal.
- Dispose of according to local and national regulations.
- Prevent from entering into soil, waterways and groundwater.

7. HANDLING AND STORAGE

7.1. Handling

Avoid eye and skin contact. Wash hands and exposed skin before eating, drinking or smoking and after work. Use only in a well ventilated area. Ingestion, exposure to skin and eyes and inhalation of any generated vapours should be avoided. Wear suitable protective clothing, gloves and eye/face protection. Do not consume or store food in the working area.

7.2. Storage

Keep containers tightly closed. Store in a well ventilated, cool, dry area. Storage temperature should be higher than +5°C

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Exposure limit values (INGREDIENTS INFORMATION)

P-PHENYLENEDIAMINE DERIVATIVE

MAK (Deutschland, TRGS 900) = NAV

TLV-TWA = NAV

8.2. Exposure controls

Respiratory protection: no respiratory protection needed under normal conditions. Good ventilation should be sufficient.

Hand protection: use chemical resistant gloves. In case of prolonged immersion or frequently repeated contact use gloves made of the materials: nitrile rubber (thickness $\geq 0,38$ mm, breakthrough time > 480 min) neoprene (thickness $\geq 0,65$ mm, breakthrough time > 240 min). butyl rubber (thickness $\geq 0,36$ mm, breakthrough time > 480 min)

For intermittent splash protection corresponding gloves with breakthrough time > 60 min can be used.

Avoid gloves made of : natural rubber.

Eye protection: use chemical safety goggles. Eye wash fountain should be located in immediate work area.

Other: appropriate protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Liquid
Colour	: Yellow
pH value (25°C)	: 1,00
Density (20°C) Kg/L	: 1,12
Solubility in water (25°C)	: Completely Soluble

10. STABILITY AND REACTIVITY

10.1. Conditions to avoid

The product is stable under normal storage conditions.

- 10.2. Materials to avoid
 Keep away from alkalis.
 Keep away from oxidising material(s).
- 10.3. Hazardous decomposition products
 Formation of CO₂, CO, NO_x, SO₂ is possible.

11. TOXICOLOGICAL INFORMATION

Acute toxicity (INGREDIENTS INFORMATION)
 P-PHENYLENEDIAMINE DERIVATIVE
 LD50 (Oral Rat) = 152-931 mg/kg

Skin contact
 May cause sensitization by skin contact.

Ingestion
 Harmful if swallowed.

12. ECOLOGICAL INFORMATION

12.1. Ecotoxicity (INGREDIENTS INFORMATION)
 P-PHENYLENEDIAMINE DERIVATIVE
 LC50 (Pimephales promelas, 96h) = 6,4 mg/l

12.2. Mobility
 Not available

12.3. Persistence and Degradability
 Not available

12.4. Bioaccumulative potential
 Not available

12.5. Other adverse effects
 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

13. DISPOSAL CONSIDERATIONS

Dispose of according to local and national regulations. Containers must be disposed of in accordance with local regulations.
 EWC: 09 01 01 Water-based developer and activator solutions

14. TRANSPORT INFORMATION

UN N° : 3265
 PSN :CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.
 (Organic amine sulphate)

ADR/RID

Class:	8	Labels	:8	Pack. Group:	III
Tun.Code	:E	TREMcard	:8.3265E-301	Spec. Prov.:	:274
Pack. Inst.:	P001,IBC03,LP01,R001	Lim. Quant.:	LQ7		

IMDG

Class:	8	Subs. Risk	:NA	Pack. Group:	III
EmS fire:	F-A	EmS Spill.	:S-B	IBC. Inst.:	:IBC03
Pack. Inst.:	P001,LP01	Lim. Quant.:	:5L	Mar.Poll:	:N

ICAO/IATA

Class:	8	Subs. Risk	:NA	Pack. Group:	III
Passenger and Cargo Aircraft.		Pkg Inst:	:818	Max Net Qty/Pkg:	:5L
Cargo Aircraft Only		Pkg Inst:	:820	Max Net Qty/Pkg:	:60L
Ltd Qty		Pkg Inst:	:1L	Max Net Qty/Pkg:	:Y818

15. REGULATORY INFORMATION

EU Classification and User Label Information:
 Contains : P-PHENYLENEDIAMINE DERIVATIVE
 Symbol(s) : Xn N
 R(isk) phrase(s) :

R22	:	Harmful if swallowed.
R43	:	May cause sensitization by skin contact.
R50/53	:	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S(safety) phrase(s) :

S24 : Avoid contact with skin.

S37 : Wear suitable gloves.

S60 : This material and its container must be disposed of as hazardous waste.

S61 : Avoid release to the environment. Refer to special instructions/Safety

data sheets.

Other information :

WGK: 3

BAG T n° (CH): 617 442

Toxicity class (CH): 2

16. OTHER INFORMATION

The use of the preparation is restricted to professional users|

The above mentioned data correspond to our present state of knowledge and experience. The safety data sheet serves as description of the products in regard to necessary safety measures. The indications have not the meaning of guarantees on properties.

Date of issue: 27.03.2006

Supersedes edition of: 01.10.2005

NAv : Not available NA : Not applicable

RISK PHRASES MENTIONED IN PARAGRAPH 2:

R22 : Harmful if swallowed.

R43 : May cause sensitization by skin contact.

R50/53 : Very toxic to aquatic organisms, may cause long-term adverse effects in

the aquatic environment.



According to 1907/2006/EC

MATERIAL SAFETY DATA SHEET

Catalogue N° : 954040 Printing date : 16/08/2008

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY

1.1. Identification of the substance or preparation

FJ CP47L P1CR DEVELOPER REPLENISHER C 600ML

1.2. Use of the substance/preparation

Photographic developer

1.3. Company/undertaking identification

FUJIFILM Europe NV

EUROPARK-NOORD 21-22

B-9100 SINT NIKLAAS

TEL : +32 3 760 02 00

FAX : +32 3 776 91 22

FUJIFILM UK Ltd.

St. Martins Way

St. Martins Business Centre

BEDFORD

MK42 OLF

UNITED KINGDOM

PRODUCTSAFETY@FUJIFILM.EU

1.4. Emergency telephone

+44 844 553 23 12

2. HAZARDS IDENTIFICATION

Most important hazards :

Causes severe burns.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical characterisation: aqueous solution

Components contributing to hazard:

w/w%	CAS N°	EINECS N°	Components Symb. R-phrases
7-15 .	1310- 58-3	215-181-3 .	POTASSIUM HYDROXIDE C R:22-35
20-40 .	584- 08-7	209-529-3 .	POTASSIUM CARBONATE Xi R:36/38

4. FIRST AID MEASURES

Eye contact

Irrigate with flowing water immediately and continuously for 15 minutes.
Consult medical personnel.

Skin contact

Immediately flush with plenty of water for at least 15 minutes while
removing contaminated clothing

Ingestion

Consult a physician or transport to emergency facility immediately.
Do not induce vomiting. Give large amounts of water or milk if available
and transport to medical facility.

Inhalation

Remove to fresh air. Consult a physician.

Further information

None

5. FIRE-FIGHTING MEASURES

5.1. Suitable extinguishing media:

Water.

Water fog, carbon dioxide, foam, dry chemicals.

5.2. Extinguishing media to avoid:

None under normal conditions.

5.3. Further information:

Keep containers cool by spraying with water.

6. ACCIDENTAL RELEASE MEASURES

- Wear adequate personal protective equipment, see section 8 (exposure control / personal protection).
- Spills should be contained by and carried with suitable absorbent material and removed from disposal.
- Dispose of according to local and national regulations.
- Prevent from entering into soil, waterways and groundwater.

7. HANDLING AND STORAGE

7.1. Handling

Avoid eye and skin contact. Wash hands and exposed skin before eating, drinking or smoking and after work. Use only in a well ventilated area. Ingestion, exposure to skin and eyes and inhalation of any generated vapours should be avoided. Wear suitable protective clothing, gloves and eye/face protection. Do not consume or store food in the working area.

7.2. Storage

Keep containers tightly closed. Store in a well ventilated, cool, dry area. Storage temperature should be higher than +5°C

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Exposure limit values (INGREDIENTS INFORMATION)

POTASSIUM HYDROXIDE

TLV-C	=	2 mg/m ³
MAK (Deutschland, TRGS 900)	=	NAv
TLV-TWA	=	NAv
TLV-STEL	=	2 mg/m ³

POTASSIUM CARBONATE

MAK (Deutschland, TRGS 900)	=	NAv
TLV-TWA	=	NAv

8.2. Exposure controls

Respiratory protection: no respiratory protection needed under normal conditions. Good ventilation should be sufficient.

Hand protection: use chemical resistant gloves. In case of prolonged immersion or frequently repeated contact use gloves made of the materials: nitrile rubber (thickness >= 0,38 mm, breakthrough time > 480 min) neoprene (thickness >= 0,65 mm, breakthrough time > 240 min). butyl rubber (thickness >= 0,36 mm, breakthrough time > 480 min)

For intermittent splash protection corresponding gloves with breakthrough time > 60 min can be used.

Avoid gloves made of : natural rubber.

Eye protection: use chemical safety goggles. Eye wash fountain should be located in immediate work area.

Other: appropriate protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Liquid
Colour	: Colourless
pH value (25°C)	: 14,0
Density (20°C) Kg/L	: 1,474
Solubility in water (25°C)	: Completely Soluble

Viscosity : As water

10. STABILITY AND REACTIVITY

10.1. Conditions to avoid

The product is stable under normal storage conditions.

10.2. Materials to avoid

Keep away from acids.

10.3. Hazardous decomposition products

Formation of CO₂ and CO fumes is possible.

11. TOXICOLOGICAL INFORMATION

Acute toxicity (INGREDIENTS INFORMATION)

POTASSIUM HYDROXIDE

LD50 (Oral Rat) = 273 mg/kg

POTASSIUM CARBONATE

LD50 (Oral Rat) = 1870 mg/kg

Eye contact

Causes severe burns.

Skin contact

Causes severe burns.

Ingestion

Causes severe burns.

Inhalation

Causes severe burns.

12. ECOLOGICAL INFORMATION

12.1. Ecotoxicity (INGREDIENTS INFORMATION)

POTASSIUM HYDROXIDE

LC50 (Pimephales promelas, 96h) = 880 mg/l

POTASSIUM CARBONATE

LC50 (Fish, 96 hours) = NAv

12.2. Mobility

Not available

12.3. Persistence and Degradability

Not available

12.4. Bioaccumulative potential

Not available

12.5. Other adverse effects

13. DISPOSAL CONSIDERATIONS

Dispose of according to local and national regulations. Containers must be disposed of in accordance with local regulations.

EWC: 09 01 01 Water-based developer and activator solutions

14. TRANSPORT INFORMATION

UN N° : 1814

PSN : POTASSIUM HYDROXIDE, SOLUTION

ADR/RID

Class:	8	Labels	:8	Pack. Group:	II
Tun.Code	:E	TREMcard	:8.1814-200	Spec. Prov.:	-
Pack. Inst.:	P001,IBC02	Lim. Quant.:	LQ22		

IMDG

Class:	8	Subs. Risk	:NA	Pack. Group:	II
EmS fire:	F-A	EmS Spill.	:S-B	IBC. Inst.:	IBC02
Pack. Inst.:	P001	Lim. Quant.:	1L	Mar.Poll:	N

ICAO/IATA

Class:	8	Subs. Risk	:NA	Pack. Group:	II
Passenger and Cargo Aircraft.		Pkg Inst:	809	Max Net Qty/Pkg:	1L
Cargo Aircraft Only	.	Pkg Inst:	813	Max Net Qty/Pkg:	30L
Ltd Qty	.	Pkg Inst:	0,5L	Max Net Qty/Pkg:	Y809

15. REGULATORY INFORMATION

EU Classification and User Label Information:

Contains : POTASSIUM HYDROXIDE

Symbol(s) : C

R(isk) phrase(s) :

R35 : Causes severe burns.

S(afety) phrase(s) :

S26 : In case of contact with eyes, rinse immediately with plenty of water and

seek medical advice.

S36/37/39: Wear suitable protective clothing, gloves and eye/face protection.

S45 : In case of accident or if you feel unwell, seek medical advice immediately

(show the label where possible).

Other information :

WGK: 2

BAG T n° (CH): 681 042

Toxicity class (CH): 2

16. OTHER INFORMATION

The use of the preparation is restricted to professional users|

The above mentioned data correspond to our present state of knowledge and experience. The safety data sheet serves as description of the products in regard to necessary safety measures. The indications have not the meaning of guarantees on properties.

Date of issue: 01.10.2005

Supersedes edition of: 01.04.2004

NAv : Not available NA : Not applicable

RISK PHRASES MENTIONED IN PARAGRAPH 2:

R22 : Harmful if swallowed.

R35 : Causes severe burns.

R36/38 : Irritating to eyes and skin.



According to 1907/2006/EC

MATERIAL SAFETY DATA SHEET

Catalogue N° : 995100 Printing date : 13/09/2008

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY

1.1. Identification of the substance or preparation

FJ CP-47LII P2R A 2L

1.2. Use of the substance/preparation

Photographic bleach-fix

1.3. Company/undertaking identification

FUJIFILM Europe NV

EUROPARK-NOORD 21-22

B-9100 SINT NIKLAAS

TEL : +32 3 760 02 00

FAX : +32 3 776 91 22

FUJIFILM UK Ltd.

St. Martins Way

St. Martins Business Centre

BEDFORD

MK42 OLF

UNITED KINGDOM

PRODUCTSAFETY@FUJIFILM.EU

1.4. Emergency telephone

+44 844 553 23 12

2. HAZARDS IDENTIFICATION

Most important hazards :

May cause sensitization by skin contact.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical characterisation: aqueous solution

Components contributing to hazard:

w/w%	CAS N°	EINECS N°	Components Symb. R-phrases
1-5 .	15451-00-0 .	. .	BENZOIC ACID DERIVATIVE C R:34-43

4. FIRST AID MEASURES

Eye contact

Irrigate with flowing water immediately and continuously for 15 minutes.

Consult medical personnel.

Skin contact

Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing

Ingestion

Consult a physician or transport to emergency facility immediately.

Inhalation

Remove to fresh air. Consult a physician.

Further information

Overexposure may lead to allergic skin reactions with sensitized people. In this case, seek medical advice.

5. FIRE-FIGHTING MEASURES

5.1. Suitable extinguishing media:

Water.

Water fog, carbon dioxide, foam, dry chemicals.

5.2. Extinguishing media to avoid:

None under normal conditions.

5.3. Further information:

Keep containers cool by spraying with water.

6. ACCIDENTAL RELEASE MEASURES

- Wear adequate personal protective equipment, see section 8 (exposure control / personal protection).
- Spills should be contained by and carried with suitable absorbent material and removed from disposal.
- Dispose of according to local and national regulations.
- Prevent from entering into soil, waterways and groundwater.

7. HANDLING AND STORAGE

7.1. Handling

Avoid eye and skin contact. Wash hands and exposed skin before eating, drinking or smoking and after work. Use only in a well ventilated area. Ingestion, exposure to skin and eyes and inhalation of any generated vapours should be avoided. Wear suitable protective clothing, gloves and eye/face protection. Do not consume or store food in the working area.

7.2. Storage

Keep containers tightly closed. Store in a well ventilated, cool, dry area. Storage temperature should be higher than +5°C

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Exposure limit values (INGREDIENTS INFORMATION)

BENZOIC ACID DERIVATIVE

MAK (Deutschland, TRGS 900) = NAV
 TLV-TWA = NAV

8.2. Exposure controls

Respiratory protection: no respiratory protection needed under normal conditions. Good ventilation should be sufficient.

Hand protection: use chemical resistant gloves. In case of prolonged immersion or frequently repeated contact use gloves made of the materials: nitrile rubber (thickness \geq 0,38 mm, breakthrough time $>$ 480 min) neoprene (thickness \geq 0,65 mm, breakthrough time $>$ 240 min) butyl rubber (thickness \geq 0,36 mm, breakthrough time $>$ 480 min) For intermittent splash protection corresponding gloves with breakthrough time $>$ 60 min can be used.

Avoid gloves made of : natural rubber.

Eye protection: use chemical safety goggles. Eye wash fountain should be located in immediate work area.

Other: appropriate protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Liquid
Colour	: Reddish Brown
Flash point °C	: NA
pH value (25°C)	: 4,90
Density (20°C) Kg/L	: 1,08
Solubility in water (25°C)	: Completely Soluble

10. STABILITY AND REACTIVITY

10.1. Conditions to avoid

The product is stable under normal storage conditions.

10.2. Materials to avoid

Keep away from reducing agents.

10.3. Hazardous decomposition products

Formation of CO₂, CO, NO_x, NH₃ is possible.

11. TOXICOLOGICAL INFORMATION

Acute toxicity (INGREDIENTS INFORMATION)

BENZOIC ACID DERIVATIVE

LD50 (Oral Rat) = > 2000 mg/kg

Skin contact

May cause sensitization by skin contact.

12. ECOLOGICAL INFORMATION

12.1. Ecotoxicity (INGREDIENTS INFORMATION)

BENZOIC ACID DERIVATIVE

LC50 (Pimephales promelas, 96h) = > 96.2 mg/l

12.2. Mobility

Not available

12.3. Persistence and Degradability

Not available

12.4. Bioaccumulative potential

Not available

12.5. Other adverse effects

13. DISPOSAL CONSIDERATIONS

Dispose of according to local and national regulations. Containers must be disposed of in accordance with local regulations.

EWC: 09 01 05 Bleach solutions and bleach fixer solutions

14. TRANSPORT INFORMATION

UN N° : -

PSN :NON HAZARDOUS LIQUID

ADR/RID

Class: NA Labels :- Pack. Group:-

Tun.Code :NA TREMcard :NA Spec. Prov.:-

Pack. Inst.: - Lim. Quant.:-

IMDG

Class: NA Subs. Risk :NA Pack. Group:NA

EmS fire: NA EmS Spill. :NA IBC. Inst. :-

Pack. Inst.: - Lim. Quant.:- Mar.Poll:N

ICAO/IATA

Class: NA Subs. Risk :NA Pack. Group:NA

Passenger and Cargo Aircraft. Pkg Inst:NA Max Net Qty/Pkg:NA

Cargo Aircraft Only . Pkg Inst:NA Max Net Qty/Pkg:NA

Ltd Qty . Pkg Inst:- Max Net Qty/Pkg:-

15. REGULATORY INFORMATION

EU Classification and User Label Information:

Contains : BENZOIC ACID DERIVATIVE

Symbol(s) : Xi

R(isk) phrase(s) :

R43 : May cause sensitization by skin contact.

S(afety) phrase(s) :

S24 : Avoid contact with skin.

S37 : Wear suitable gloves.

Other information :

WGK: 2

16. OTHER INFORMATION

The use of the preparation is restricted to professional users|

The above mentioned data correspond to our present state of knowledge and experience. The safety data sheet serves as description of the products in regard to necessary safety measures. The indications have not the meaning

of guarantees on properties.

Date of issue: 02.08.2007

Supersedes edition of: -

NAv : Not available NA : Not applicable

RISK PHRASES MENTIONED IN PARAGRAPH 2:

R34 : Causes burns.

R43 : May cause sensitization by skin contact.



According to 1907/2006/EC

MATERIAL SAFETY DATA SHEET

Catalogue N° : 995100 Printing date : 13/09/2008

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY

1.1. Identification of the substance or preparation

FJ CP-47LII P2R B 2L

1.2. Use of the substance/preparation

Photographic bleach-fix

1.3. Company/undertaking identification

FUJIFILM Europe NV

EUROPARK-NOORD 21-22

B-9100 SINT NIKLAAS

TEL : +32 3 760 02 00

FAX : +32 3 776 91 22

FUJIFILM UK Ltd.

St. Martins Way

St. Martins Business Centre

BEDFORD

MK42 OLF

UNITED KINGDOM

PRODUCTSAFETY@FUJIFILM.EU

1.4. Emergency telephone

+44 844 553 23 12

2. HAZARDS IDENTIFICATION

Most important hazards :

Causes burns.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical characterisation: aqueous solution

Components contributing to hazard:

w/w%	CAS N°	EINECS N°	Components
			Symb. R-phrases
1-5	288-32-4	206-019-2	IMIDAZOLE C R:22-34
15-30	10192-30-0	233-469-7	AMMONIUM HYDROGEN SULFITE C R:31-34

4. FIRST AID MEASURES

Eye contact

Irrigate with flowing water immediately and continuously for 15 minutes.
Consult medical personnel.

Skin contact

Immediately flush with plenty of water for at least 15 minutes while
removing contaminated clothing

Ingestion

Consult a physician or transport to emergency facility immediately.
Do not induce vomiting. Give large amounts of water or milk if available
and transport to medical facility.

Inhalation

Remove to fresh air. Consult a physician.

Further information

None

5. FIRE-FIGHTING MEASURES

5.1. Suitable extinguishing media:

Water.

Water fog, carbon dioxide, foam, dry chemicals.

5.2. Extinguishing media to avoid:

None under normal conditions.

5.3. Further information:

Keep containers cool by spraying with water.

6. ACCIDENTAL RELEASE MEASURES

- Wear adequate personal protective equipment, see section 8 (exposure control / personal protection).
- Spills should be contained by and carried with suitable absorbent material and removed from disposal.
- Dispose of according to local and national regulations.
- Prevent from entering into soil, waterways and groundwater.

7. HANDLING AND STORAGE

7.1. Handling

Avoid eye and skin contact. Wash hands and exposed skin before eating, drinking or smoking and after work. Use only in a well ventilated area. Ingestion, exposure to skin and eyes and inhalation of any generated vapours should be avoided. Wear suitable protective clothing, gloves and eye/face protection. Do not consume or store food in the working area.

7.2. Storage

Keep containers tightly closed. Store in a well ventilated, cool, dry area. Storage temperature should be higher than +5°C

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Exposure limit values (INGREDIENTS INFORMATION)

IMIDAZOLE

MAK (Deutschland, TRGS 900) = NAV

TLV-TWA = NAV

AMMONIUM HYDROGEN SULFITE

MAK (Deutschland, TRGS 900) = NAV

TLV-TWA = NAV

8.2. Exposure controls

Respiratory protection: no respiratory protection needed under normal conditions. Good ventilation should be sufficient.

Hand protection: use chemical resistant gloves. In case of prolonged immersion or frequently repeated contact use gloves made of the materials: nitrile rubber (thickness \geq 0,38 mm, breakthrough time $>$ 480 min) neoprene (thickness \geq 0,65 mm, breakthrough time $>$ 240 min). butyl rubber (thickness \geq 0,36 mm, breakthrough time $>$ 480 min) For intermittent splash protection corresponding gloves with breakthrough time $>$ 60 min can be used.

Avoid gloves made of : natural rubber.

Eye protection: use chemical safety goggles. Eye wash fountain should be located in immediate work area.

Other: appropriate protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Liquid
Colour	: Pale Yellow
Flash point °C	: NA
pH value (25°C)	: 5,80
Density (20°C) Kg/L	: 1,216
Solubility in water (25°C)	: Completely Soluble

10. STABILITY AND REACTIVITY

10.1. Conditions to avoid

The product is stable under normal storage conditions.

10.2. Materials to avoid

Keep away from reducing agents.

10.3. Hazardous decomposition products

Formation of CO₂, CO, NH₃, NO_x, H₂S, SO₂ is possible.

11. TOXICOLOGICAL INFORMATION

Acute toxicity (INGREDIENTS INFORMATION)

IMIDAZOLE

LD50 (Oral Rat) = 970 mg/kg

AMMONIUM HYDROGEN SULFITE

LD50 (Oral Rat) = NAv

Eye contact

Causes burns.

Skin contact

Causes burns.

Ingestion

Causes burns.

Inhalation

Causes burns.

12. ECOLOGICAL INFORMATION

12.1. Ecotoxicity (INGREDIENTS INFORMATION)

IMIDAZOLE

LC50 (Daphnia, 48h) = 341,5 mg/l

AMMONIUM HYDROGEN SULFITE

LC50 (Fish, 96 hours) = NAv

12.2. Mobility

Not available

12.3. Persistence and Degradability

Not available

12.4. Bioaccumulative potential

Not available

12.5. Other adverse effects

13. DISPOSAL CONSIDERATIONS

Dispose of according to local and national regulations. Containers must be disposed of in accordance with local regulations.

EWC: 09 01 05 Bleach solutions and bleach fixer solutions

14. TRANSPORT INFORMATION

UN N° : 1760

PSN :CORROSIVE LIQUID, N.O.S.

(Ammonium bisulphite)

ADR/RID

Class: 8 Labels :8 Pack. Group:III

Tun.Code :E TREMcard :8.1760L-301 Spec. Prov.:274

Pack. Inst.: P001,IBC03,LP01,R001 Lim. Quant.:LQ7

IMDG

Class: 8 Subs. Risk :NA Pack. Group:III

EmS fire: F-A EmS Spill. :S-B IBC. Inst. :IBC03

Pack. Inst.: P001,LP01 Lim. Quant.:5L Mar.Poll:N

ICAO/IATA

Class: 8 Subs. Risk :NA Pack. Group:III

Passenger and Cargo Aircraft. Pkg Inst:818 Max Net Qty/Pkg:5L

Cargo Aircraft Only . Pkg Inst:820 Max Net Qty/Pkg:60L

Ltd Qty . Pkg Inst:1L Max Net Qty/Pkg:Y818

15. REGULATORY INFORMATION

EU Classification and User Label Information:

Contains : AMMONIUM HYDROGEN SULFITE

Symbol(s) : C

R(isk) phrase(s) :

R34 : Causes burns.

S(afety) phrase(s) :

S9 : Keep container in a well-ventilated place.

S26 : In case of contact with eyes, rinse immediately with plenty of water and

seek medical advice.

S36/37/39: Wear suitable protective clothing, gloves and eye/face protection.

S45 : In case of accident or if you feel unwell, seek medical advice immediately

(show the label where possible).

Other information :

WGK: 1

16. OTHER INFORMATION

The use of the preparation is restricted to professional users|

The above mentioned data correspond to our present state of knowledge and experience. The safety data sheet serves as description of the products in regard to necessary safety measures. The indications have not the meaning of guarantees on properties.

Date of issue: 02.08.2007

Supersedes edition of: -

NAv : Not available NA : Not applicable

RISK PHRASES MENTIONED IN PARAGRAPH 2:

R22 : Harmful if swallowed.

R31 : Contact with acids liberates toxic gas.

R34 : Causes burns.



According to 1907/2006/EC

MATERIAL SAFETY DATA SHEET

Catalogue N° : 972943 Printing date : 16/08/2008

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY

1.1. Identification of the substance or preparation

FJ CP-47L P1S DEVELOPER STARTER 1L

1.2. Use of the substance/preparation

Photographic developer

1.3. Company/undertaking identification

FUJIFILM Europe NV

EUROPARK-NOORD 21-22

B-9100 SINT NIKLAAS

TEL : +32 3 760 02 00

FAX : +32 3 776 91 22

FUJIFILM UK Ltd.

St. Martins Way

St. Martins Business Centre

BEDFORD

MK42 OLF

UNITED KINGDOM

PRODUCTSAFETY@FUJIFILM.EU

1.4. Emergency telephone

+44 844 553 23 12

2. HAZARDS IDENTIFICATION

Most important hazards :

Not classified as a hazardous product conform EEC Dangerous Substances Directive and Dangerous Preparation Directive.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical characterisation: aqueous solution

Components contributing to hazard:

w/w%	CAS N°	EINECS N°	Components	
			Symb.	R-phrases
3-7	584-08-7	209-529-3	POTASSIUM CARBONATE	
0,5-1,5	133986-51-3	407-370-6	HYDROXYLAMINE DERIVATIVE	
			- R:52/53	

4. FIRST AID MEASURES

Eye contact

Irrigate with flowing water immediately and continuously for 15 minutes.
Consult medical personnel.

Skin contact

Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing

Ingestion

Consult a physician or transport to emergency facility immediately.

Inhalation

Remove to fresh air. Consult a physician.

Further information

None

5. FIRE-FIGHTING MEASURES

5.1. Suitable extinguishing media:

Water.

Water fog, carbon dioxide, foam, dry chemicals.

5.2. Extinguishing media to avoid:

None under normal conditions.

5.3. Further information:

Keep containers cool by spraying with water.

6. ACCIDENTAL RELEASE MEASURES

- Wear adequate personal protective equipment, see section 8 (exposure control / personal protection).
- Spills should be contained by and carried with suitable absorbent material and removed from disposal.
- Dispose of according to local and national regulations.
- Prevent from entering into soil, waterways and groundwater.

7. HANDLING AND STORAGE

7.1. Handling

Avoid eye and skin contact. Wash hands and exposed skin before eating, drinking or smoking and after work. Use only in a well ventilated area. Ingestion, exposure to skin and eyes and inhalation of any generated vapours should be avoided. Wear suitable protective clothing, gloves and eye/face protection. Do not consume or store food in the working area.

7.2. Storage

Keep containers tightly closed. Store in a well ventilated, cool, dry area. Storage temperature should be higher than +5°C

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Exposure limit values (INGREDIENTS INFORMATION)

POTASSIUM CARBONATE

MAK (Deutschland, TRGS 900) = NAV

TLV-TWA = NAV

HYDROXYLAMINE DERIVATIVE

TLV-TWA = NAV

8.2. Exposure controls

Respiratory protection: no respiratory protection needed under normal conditions. Good ventilation should be sufficient.

Hand protection: use chemical resistant gloves. In case of prolonged immersion or frequently repeated contact use gloves made of the materials: nitrile rubber (thickness $\geq 0,38$ mm, breakthrough time > 480 min)

neoprene (thickness $\geq 0,65$ mm, breakthrough time > 240 min).

butyl rubber (thickness $\geq 0,36$ mm, breakthrough time > 480 min)

For intermittent splash protection corresponding gloves with breakthrough time > 60 min can be used.

Avoid gloves made of : natural rubber.

Eye protection: use chemical safety goggles. Eye wash fountain should be located in immediate work area.

Other: appropriate protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Liquid
Colour	: Colourless
pH value (25°C)	: 9,10
Flash point °C	:
Density (20°C) Kg/L	: 1,165
Solubility in water (25°C)	: Completely Soluble
Viscosity	: As water

10. STABILITY AND REACTIVITY

10.1. Conditions to avoid

The product is stable under normal storage conditions.

10.2. Materials to avoid

None.

10.3. Hazardous decomposition products

Formation of CO₂ and CO fumes is possible.

11. TOXICOLOGICAL INFORMATION

Acute toxicity (INGREDIENTS INFORMATION)

POTASSIUM CARBONATE

LD50 (Oral Rat) = 1870 mg/kg

HYDROXYLAMINE DERIVATIVE

LD50 (Oral Rat) = NAv

12. ECOLOGICAL INFORMATION

12.1. Ecotoxicity (INGREDIENTS INFORMATION)

POTASSIUM CARBONATE

LC50 (Fish, 96 hours) = NAv

HYDROXYLAMINE DERIVATIVE

LC50 (Fish, 96 hours) = NAv

12.2. Mobility

Not available

12.3. Persistence and Degradability

Not available

12.4. Bioaccumulative potential

Not available

12.5. Other adverse effects

13. DISPOSAL CONSIDERATIONS

Dispose of according to local and national regulations. Containers must be disposed of in accordance with local regulations.

EWC: 09 01 01 Water-based developer and activator solutions

14. TRANSPORT INFORMATION

UN N° : -

PSN :NON HAZARDOUS LIQUID

ADR/RID

Class: NA	Labels :-	Pack. Group:-
Tun.Code :NA	TREMcard :NA	Spec. Prov.:-
Pack. Inst.: -	Lim. Quant.:-	

IMDG

Class: NA	Subs. Risk :NA	Pack. Group:NA
EmS fire: NA	EmS Spill. :NA	IBC. Inst. :-
Pack. Inst.: -	Lim. Quant.:-	Mar.Poll:N

ICAO/IATA

Class: NA	Subs. Risk :NA	Pack. Group:NA
Passenger and Cargo Aircraft.	Pkg Inst:NA	Max Net Qty/Pkg:NA
Cargo Aircraft Only	. Pkg Inst:NA	Max Net Qty/Pkg:NA
Ltd Qty	. Pkg Inst:-	Max Net Qty/Pkg:-

15. REGULATORY INFORMATION

EU Classification and User Label Information:

Contains : -

Symbol(s) :

R(isk) phrase(s) :

R_ : -

S(afety) phrase(s) :

S_ : -

Other information :

WGK: 1



According to 1907/2006/EC

MATERIAL SAFETY DATA SHEET

Catalogue N° : 961847 Printing date : 16/08/2008

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY

1.1. Identification of the substance or preparation

FJ SUPERCONDITIONING TABLETS 100 PCE

1.2. Use of the substance/preparation

Photographic solution

1.3. Company/undertaking identification

FUJIFILM Europe NV

EUROPARK-NOORD 21-22

B-9100 SINT NIKLAAS

TEL : +32 3 760 02 00

FAX : +32 3 776 91 22

FUJIFILM UK Ltd.

St. Martins Way

St. Martins Business Centre

BEDFORD

MK42 OLF

UNITED KINGDOM

PRODUCTSAFETY@FUJIFILM.EU

1.4. Emergency telephone

+44 844 553 23 12

2. HAZARDS IDENTIFICATION

Most important hazards :

Harmful if swallowed.

Contact with acids liberates toxic gas.

Irritating to eyes and respiratory system.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical characterisation: powder

Components contributing to hazard:

w/w%	CAS N°	EINECS N°	Components	
			Symb.	R-phrases
10-20	2893-78-9	220-767-7	TROCLOSENE SODIUM	OXnN R:8-22-31-36/37-50/53

4. FIRST AID MEASURES

Eye contact

Irrigate with flowing water immediately and continuously for 15 minutes.

Consult medical personnel.

Skin contact

Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing

Ingestion

Consult a physician or transport to emergency facility immediately.

Inhalation

Remove to fresh air. Consult a physician.

Further information

None

5. FIRE-FIGHTING MEASURES

5.1. Suitable extinguishing media:

Water.

Water fog, carbon dioxide, foam, dry chemicals.

5.2. Extinguishing media to avoid:

None under normal conditions.

5.3. Further information:

Keep containers cool by spraying with water.

6. ACCIDENTAL RELEASE MEASURES

- Wear adequate personal protective equipment, see section 8 (exposure control / personal protection).
- Spills should be contained by and carried with suitable absorbent material and removed from disposal.
- Dispose of according to local and national regulations.
- Prevent from entering into soil, waterways and groundwater.

7. HANDLING AND STORAGE

7.1. Handling

Avoid eye and skin contact. Wash hands and exposed skin before eating, drinking or smoking and after work. Use only in a well ventilated area. Ingestion, exposure to skin and eyes and inhalation of any generated vapours should be avoided. Wear suitable protective clothing, gloves and eye/face protection. Do not consume or store food in the working area.

7.2. Storage

Keep containers tightly closed. Store in a well ventilated, cool, dry area. Storage temperature should be higher than +5°C

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Exposure limit values (INGREDIENTS INFORMATION)

TROCLOSENE SODIUM

MAK (Deutschland, TRGS 900) = NAV

TLV-TWA = NAV

8.2. Exposure controls

Respiratory protection: no respiratory protection needed under normal conditions. Good ventilation should be sufficient.

Hand protection: use chemical resistant gloves. In case of prolonged immersion or frequently repeated contact use gloves made of the materials: nitrile rubber (thickness $\geq 0,38$ mm, breakthrough time > 480 min) neoprene (thickness $\geq 0,65$ mm, breakthrough time > 240 min).

butyl rubber (thickness $\geq 0,36$ mm, breakthrough time > 480 min)

For intermittent splash protection corresponding gloves with breakthrough time > 60 min can be used.

Avoid gloves made of : natural rubber.

Eye protection: use chemical safety goggles. Eye wash fountain should be located in immediate work area.

Other: appropriate protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Density (20°C) Kg/L	: 0,999
pH value (25°C)	: 0,999
Appearance	: Solid
Colour	: White
Solubility in water (25°C)	: Completely Soluble

10. STABILITY AND REACTIVITY

10.1. Conditions to avoid

The product is stable under normal storage conditions.

10.2. Materials to avoid

Keep away from acids.

Keep away from alkalis.

Keep away from oxidising material(s).

10.3. Hazardous decomposition products

Formation of CO₂, CO and Cl₂ fumes is possible.

11. TOXICOLOGICAL INFORMATION

Acute toxicity (INGREDIENTS INFORMATION)

PREPARATION

LD50 (Oral Rat) = > 5000 mg/kg

Eye contact

Irritating to eyes.

Ingestion

Harmful if swallowed.

Inhalation

Irritating to respiratory system.

12. ECOLOGICAL INFORMATION

12.1. Ecotoxicity (INGREDIENTS INFORMATION)

PREPARATION

LD50 (Oral Rat) = -

12.2. Mobility

Not available

12.3. Persistence and Degradability

Not available

12.4. Bioaccumulative potential

Not available

12.5. Other adverse effects

13. DISPOSAL CONSIDERATIONS

Dispose of according to local and national regulations. Containers must be disposed of in accordance with local regulations.

EWC: 09 01 99 Wastes not otherwise specified

14. TRANSPORT INFORMATION

UN N° : -

PSN :NON HAZARDOUS SOLID

ADR/RID

Class:	NA	Labels	:-	Pack. Group:-
Tun.Code	:NA	TREMcard	:NA	Spec. Prov.:-
Pack. Inst.:	-	Lim. Quant.:	:-	

IMDG

Class:	NA	Subs. Risk	:NA	Pack. Group:NA
EmS fire:	NA	EmS Spill.	:NA	IBC. Inst. :-
Pack. Inst.:	-	Lim. Quant.:	:- Mar.Poll:N	

ICAO/IATA

Class:	NA	Subs. Risk	:NA	Pack. Group:NA
Passenger and Cargo Aircraft.		Pkg Inst:	NA	Max Net Qty/Pkg:NA
Cargo Aircraft Only		Pkg Inst:	NA	Max Net Qty/Pkg:NA
Ltd Qty		Pkg Inst:	-	Max Net Qty/Pkg:-

15. REGULATORY INFORMATION

EU Classification and User Label Information:

Contains : TROCLOSENE SODIUM

Symbol(s) : Xn

R(isk) phrase(s) :

R22 : Harmful if swallowed.
 R31 : Contact with acids liberates toxic gas.
 R36/37 : Irritating to eyes and respiratory system.

S(afety) phrase(s) :

S22 : Do not breathe dust.
 S26 : In case of contact with eyes, rinse immediately with plenty of water and

seek medical advice.

Other information :

WGK: 2

16. OTHER INFORMATION

The use of the preparation is restricted to professional users|

The above mentioned data correspond to our present state of knowledge and experience. The safety data sheet serves as description of the products in regard to necessary safety measures. The indications have not the meaning of guarantees on properties.

Date of issue: 01.10.2005

Supersedes edition of: 01.04.2004

Nav : Not available NA : Not applicable

RISK PHRASES MENTIONED IN PARAGRAPH 2:

R22 : Harmful if swallowed.

R31 : Contact with acids liberates toxic gas.

R36/37 : Irritating to eyes and respiratory system.

R50/53 : Very toxic to aquatic organisms, may cause long-term adverse effects in

the aquatic environment.

R8 : Contact with combustible material may cause fire.